

REPORT DOCUMENTATION PAGE

AFRL-SR-BL-TR-98-

Public reporting burden for this collection of information is estimated to average 1 hour per response, including reviewing the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1204 Arlington Avenue, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0359-0188).

0359

s. gathering
collection of
hway, Suite

1. AGENCY USE ONLY (Leave Blank)		2. REPORT DATE 08 April 1998	3. REPORT TYPE AND DATES COVERED Final (01 Apr 97 - 31 Dec 97)
4. TITLE AND SUBTITLE Parallel Quantum Chemistry In an SMP Environment			5. FUNDING NUMBERS F49620-97-1-0173 (DURIP)
6. AUTHORS Mark S. Gordon			
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Iowa State University, Department of Chemistry Gilman Hall Ames, Iowa 50011-3111			8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AFOSR/NM 110 Duncan Avenue, Room B-115 Bolling Air Force Base, DC 20332-8080			10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION AVAILABILITY STATEMENT Approved for Public Release			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) The funds awarded were used to purchase an eight node IBM J50 computer, and the associated software. Each node is configured with 256MB of memory and 4 GB of disk. The system is currently being run as eight separate nodes. In addition to the DoD funds, IBM provided \$40,000 in matching funds for this project. The IBM funds were used to purchase two dual processor 233 MHz IBM 43P computers. These are PCI-based systems, each of which is configured with 512 MB of memory and 9 GB of disk. As for the J50, we are using these systems as two independent nodes, until the parallel environment is released. Finally, Apple Computer has given us a high end Macintosh computer as part of their match. This computer has already played a central role in the development of MacMolPlt, a graphical interface for our electronic structure code GAMESS.			
14. SUBJECT TERMS node, IBM, J50, Apple Computer			15. NUMBER OF PAGES
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL

19980430 089

DTIC QUALITY INSPECTED 3

FINAL TECHNICAL REPORT
DURIP AWARD F49620-97-1-0173
Mark S. Gordon, Department of Chemistry
Iowa State University

The funds awarded were used to purchase an eight node IBM J50 computer, and the associated software. Each node is configured with 256MB of memory and 4 GB of disk. The system is currently being run as eight separate nodes, because IBM has been slower than expected in releasing the parallel software necessary to effectively run a J50 as a shared memory parallel (SMP) computer. We now have assurance from IBM that the parallel environment will be forthcoming within the next few months. We will then begin to evaluate the performance of the system in an SMP environment.

In addition to the DoD funds, IBM provided \$40,000 in matching funds for this project. The IBM funds were used to purchase two dual processor 233 MHz IBM 43P computers. These are PCI-based systems, each of which is configured with 512 MB of memory and 9 GB of disk. As for the J50, we are using these systems as two independent nodes, until the parallel environment is released. Finally, Apple Computer has given us a high end Macintosh computer as part of their match. This computer has already played a central role in the development of MacMolPlt, a graphical interface for our electronic structure code GAMESS. The Mac has been used by Brett Bode to develop several new features for MacMolPlt, including the ability to plot atomic and molecular orbitals, electron densities, density differences, and electrostatic potential maps in 2-D or 3-D. One can also make these plots at several points along a reaction path, and animate the sequence, so that one can visualize the changes in bonding as a reaction proceeds. Another new feature in MacMolPlt is its ability to generate input files for GAMESS. This makes preparation or modification of input files much easier.

The IBM computers are being used for a variety of AFOSR-related research projects. These include:

1. The investigation of potential high energy fuels. Galina Chaban has been examining the behavior of Al-doped matrices of molecular hydrogen, in order to determine that stability of such species, and to determine how easily an Al atom can migrate in the lattice. This is important, since two Al atoms would immediately form a diatomic molecule if they could find each other, and this would greatly reduce the utility of the system as a fuel. A closely related project being studied by Michael Pak is the analysis of the potential energy surface for these Al atoms reacting with molecular oxygen. This should provide some important insight regarding the identity and the mechanism of formation of the Al oxides that are formed when such a fuel is burned. There has been considerable interest in other groups in heterocubanes, including N₈. Mike Schmidt has extensively studied the N₈ potential energy surface and shown that the upper limit to the barrier for decomposition of this molecule to four N₂'s is only 20 kcal/mol. So, N₈ may not be a viable fuel.
2. Design of new materials. Brett Bode is extensively studying the effect of catalysts (modeled by divalent titanium) on the hydrosilation reaction, in which a silane reacts with an alkene to form a new SiC bond. Such species are important, because they are precursors to silicon carbide. Brett has shown that the origin of the catalytic activity for TiR₂ is its ability to form an extremely stable complex with ethylene. The excess energy due to the formation of this complex is sufficient to overcome all subsequent barriers in the mechanism. Takako Kudo is studying the mechanisms for formation of polyhedral oligomeric silsesquioxanes (POSS). These species are of considerable interest to the Air Force because of their potential use as lubricants and as materials precursors. This

investigation will examine the effects of solvent, substituents, and catalysts on the POSS formation mechanism. Vanda Glezakou is examining the mechanism of formation of metallocarbohedrenes (met-cars), an unusually stable TiC analog of C₂₀. The interest in these species is as potential nanostructural materials. They are apparently formed by the laser ablation of titanium in the presence of alkanes and alkenes, so Vanda is studying the reactions of Atomic Ti with small alkenes.